

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	234	725/28.ccls.	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 14:54
2	L2	115	1 AND ((@ad <= "20000928") or (@rlad <= "20000928"))	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 14:55
3	L3	4	("6226793") .URPN.	USPAT	2007/10/09 13:44
4	L4	691	725/25.ccls.	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 14:54
5	L5	115	2 AND ((@ad <= "20000928") or (@rlad <= "20000928"))	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 14:55
6	L6	314	4 AND ((@ad <= "20000928") or (@rlad <= "20000928"))	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 15:03
7	L7	283	6 NOT 2	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 15:00

	L #	Hits	Search Text	DBs	Time Stamp
8	L8	1621	725/25-31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 15:00
9	L9	171	8 AND ((default standard threshold overall base) NEAR3 (rating setting level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 15:24
10	L10	87	9 AND ((@ad <= "20000928") or (@rlad <= "20000928"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 15:26
11	L11	1472	((portion segment frame block scene program movie broadcast show) NEAR4 (br replacement block\$3 overide substitution alternat\$3)) WITH ((default standard threshold overall base) NEAR3 (rating setting level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 16:42
12	L12	858	11 AND ((@ad <= "20000928") or (@rlad <= "20000928"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 16:58
13	L13	16	12 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 16:59

	L #	Hits	Search Text	DBs	Time Stamp
14	L14	74	12 AND "348" /\$.ccls.	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 17:01
15	L15	61	14 NOT 13	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 15:29
16	L16	26	12 AND "345" /\$.ccls.	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 15:31
17	L17	4902	((portion segment frame block scene program movie broadcast show) NEAR4 (br replacement block\$3 overide substitution alternat\$3)) SAME ((default standard threshold overall base) NEAR3 (rating setting level))	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 16:42
18	L18	2515	17 AND ((@ad <= "20000928") or (@rlad <= "20000928"))	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 16:58
19	L19	26	18 AND "725" /\$.ccls.	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 16:59

	L #	Hits	Search Text	DBs	Time Stamp
20	L20	231	18 AND "348" /\$.ccls.	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 17:01
21	L21	157	20 NOT 14	US - PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/10/09 17:01